



IRRIGATE FROM ANYWHERE

SIMPLE INTERFACE WITH POWERFUL CONTROL REDUCES LABOR & INCREASES WATER SAVINGS

For years, landscape professionals, like you, have been demanding that irrigation controllers would enter the 21st century. Weathermatic has engineered the solution. Finally, affordable web-based irrigation control is available to everyone. With SmartLink™, you can manage all of your sites from any computer, or mobile device, and a web-browser. No software to install. No expensive hardware needed. You'll be up and running in minutes.

SmartLink is a web application that provides you the tools to be one step ahead. Make controller program changes, manage flow, use the on-site inspection tools, receive email alerts, send global commands, the list goes on and on. SmartLink becomes an indispensable part of your work-flow.

Having mobile access using your tablets or smartphones means you're able to respond faster than before. Customers appreciate it, and water is saved in the process.

Reliable cellular networks ensure the connection is stable and our hosted cloud-servers ensure that your controllers are available when you need it.



Compatible with ProLine and SmartLine Controllers

Excluding PL800 and SL800.



Our mission is to deliver clean drinking water to thousands of families in need, and to inspire our partners to put water first in irrigation, design, installation, and maintenance.



Irrigate from Anywhere with SmartLink

Get a demo

Go to smartlinknetwork.com or scan the QR code with your mobile device camera



SmartLink

HOW IT WORKS

Sensor
MAKES AUTOMATIC WEATHER-BASED ADJUSTMENTS TO WATERING SCHEDULE



Aircard
SENDS DATA BETWEEN THE CONTROLLER AND CLOUD VIA CELLULAR NETWORK



Controller
HARDWARE ON-SITE RELAYS SETTINGS AND PROGRAMS TO CONTROL ZONES AND SCHEDULES

Secure cellular connection
NO PASSWORDS ARE SHARED AND ACCESS IS RELIABLE EVEN AWAY FROM BUILDINGS

LTE CAT M1 CELLULAR NETWORK



Cloud-based solution

CLOUD SERVERS AND SMARTLINK SOFTWARE MAINTAIN CONTINUOUS CONNECTION AND DATA SECURITY



You
REMOTE ACCESS BY PHONE, TABLET, OR COMPUTER TO CONTROL ALL ZONES & SCHEDULES WITH ALERTS & REPORTS

Accessing your Controller is as Easy as Accessing the Web

The SmartLink user interface is intended to make activating and programming your irrigation controllers incredibly simple. Appreciate the ease of use that saves time on programming and helps respond to customer requests or weather related events. Manage hundreds of sites, send global commands and store programs to save significant time and expense.


Inspection Tool

More than a repair tracking tool.



Proposal Tool

Run your business without the paperwork.




Snapshot

Only takes one shot to save and store program




Mobile App

Every site at your finger tips.



Assets

Map everything you need to know.




Flow Sensing

Monitor, measure, and react to flow.




Alerts

Never miss a beat.



Global Commands

for fast programming needs.



Zone Photos

A SmartLink Zone Photo is worth a thousands words.

AIRCARDS

Affordable web-based irrigation management

- The SmartLink Aircard and SmartLink Aircard Flow are the gateway to the SmartLink Network
- Manages communication between your controller and the Internet using reliable cellular connections
- Securely links your controller to our cloud-based servers for web-enabled control and connectivity

SL-AIRCARD-MINA - SMARTLINK AIRCARD
 SL-AIRCARD-MINA-FLOW - SMARTLINK AIRCARD WITH FLOW



CONTROLLERS

Compatible with ProLine® and SmartLine® Controllers. Excluding PL800 and SL800.

ProLine®

- Affordable controller with professional features
- Advanced programming features
- SmartLink compatible

PL1600 - 4 TO 24 ZONES
 PL4800 - 12 TO 48 ZONES



SmartLine®

- Two controllers in one with two modes: Basic and Smart
- ET Based scheduling
- SmartLink compatible

SL1600 - 4 TO 24 ZONES
 SL4800 - 12 TO 48 ZONES
 SL9600TW - 48/96 ZONES 2-WIRE
 SL4800SLR/SL9600TWSLR - SMARTLINE SOLAR



WEATHER SENSORS

Rain/Freeze sensors and Weather Stations

RAIN/FREEZE SENSORS

- Compatible with both ProLine® and SmartLine® controllers
- Rain shut-off settable from 1/8 - 1" (3 - 25 mm)
- Freeze shut-off activated at 37°F (3.0°C)

RFS1 - WIRED RAIN/FREEZE SENSOR
 RFS5 - WIRELESS RAIN/FREEZE SENSOR



WEATHER STATIONS

- Microprocessor records and processes weather data for use in establishing "Smart" auto adjust run times on any SmartLine® controller
- Rain shut-off settable from 1/8 - 1" (3 - 25 mm)
- Freeze shut-off activated at 37°F (3.0°C)
- Compatible with SmartLine® controllers

SLW1 - WIRED WEATHER STATION
 SLW5 - WIRELESS WEATHER STATION



FLOW SENSORS

Complete flow sensing capabilities

SLFSI-T - SLIP TYPE TEE FLOW SENSOR
 SLFSI-S - SADDLE TYPE TEE FLOW SENSOR
 SLFSI-B - BRASS THREADED TYPE TEE FLOW SENSOR



SLFA - FLOW ASSEMBLIES
 SLF-COMBIFLOW - FLOW PROCESSOR
 SLF-ISOFLOW - SIGNAL CONTROL DEVICES
 SLF-SIMFLOW - FLOW SIMULATOR
 SLF-DISPLAYFLOW DIGITAL DISPLAY TOTALIZER
 SLF-PCT-120 - HYDROMETER PULSE CONVERTOR



ADDITIONAL FEATURES

Professional Features

- LTE CAT M1 Cellular communication
- Unlimited accounts
- Assignable account privileges
- Unlimited sites
- Unlimited controllers
- Web browser accessible
- Map integration
- Search Filters
- Single page controller overview
- Manual zone/program operation
- Recent event list (export to .xlsx)
- Valve locator
- Basic programming (mirror SmartLine/ProLine features)
- Advanced "Smart" programming (mirror SmartLine features)
- Historical water use reports
- Historical temperature overlays
- Total gallons used per site/controller/zone
- Daily or monthly summary

Inspection Reporting

- Run zones remotely
- Track issues and quantities
- Upload photos for issues
- Include comments and descriptions
- Review program settings
- Set programming adjustments
- Save inspection reports to clients
- Export reports to PDF, XLSX, or XLS

Asset Tagging

- Create site layouts with satellite mapping
- Draw zone outlines
- Pin locations for items such as meters, valves, sensors, controllers, and more
- Include detailed notes
- Upload photos
- Save meter and product serial numbers
- Drag-in-drop any related files

Alerts

- Turn ON email alerts
- Set alerts to arrive instantly or daily
- Manage alerts globally
- Setup over 20 different notification types

Global Commands

- Turn ON or OFF all controllers
- Set a Rain Delay
- Clear Faults
- Pull a receive for real-time updates
- Reset a controller
- Take a Snapshot of all program settings

Reports

- Run Times
- Water use (with flow data)
- Local high and low temperatures
- System or programming related changes
- Daily, Weekly or Monthly changes

Proposals

- Track repair issues
- Maintain a repair parts catalog
- Update price lists
- Create proposals
- Send proposal approval emails to clients

Flow Sensing

- Self-defined high and low flow limits
- Automatic master and zone valve shutdowns
- Email alert notifications
- Running and Current Averages
- (Flow aircard/sensor required)

Snapshots

- Track minor program adjustments
- Store settings for historical reasons
- Reapply settings at a later time
- Compare differences between two programs

Requirements

- SmartLine or ProLine controller (Firmware 3.10) with SmartLink Aircard installed.
- Yearly service plan fee

Service plan includes extended warranty covering lightning, theft and physical damage.



weathermatic.com
Support: 888.484.3776
support@weathermatic.com



1,000 gallons given per bundle

Our mission is to deliver clean drinking water to thousands of families in need, and to inspire our partners to put water first in irrigation, design, installation, and maintenance.

Copyright 2020 Weathermatic. All Rights Reserved AD3004_revH

